

# INDEX

## A

### Access

- equipment 16.4.3
- responsibility to provide 16.4.2
- tanker/shore 16.4
- unauthorised persons 16.4.7

### Accommodation

- air conditioning and ventilation systems 24.2
- closure of openings 24.1

### Additives

- Anti-static 11.1.7.9
- Antistatic, Inhibitors, Dyes, H<sub>2</sub>S

### Adiabatic

- definitions
- compression 27.16; 27.21.2
- curve 27.16
- expansion 27.16

### Adjacent berths

- general cargo tankers at 24.9.2
- tankers at 24.9.1

### Administration

- definitions
- Legislation 1.2.5
- Setting of exposure limits 2.3.3.2
- Definition of dangerous areas 4.4.2.1

### Aerials

- see Antennae, transmitting

### Air conditioning

- central 4.1; 11.4.3; 24.2
- window type units 11.4.3; 24.2

### Air Draught

- Restrictions on 15.6.4
- Retention of ballast to reduce 11.6.6

### Air driven lamps

- precautions for use 4.3.3; 12.5.4

### Air flow

- over accommodation block Figure 2.4

### AIS

- status during cargo operations 4.8.4

### Alarms

- cargo tank overfill 11.1.6.6; 11.1.13.4
- emergency 20.2.3.1
- fire 19.3; 19.4
- gas measurement instruments 2.3.6.4; 8.2.3; 8.2.4; 19.2.9
- pumproom 10.11.6; 10.11.7
- vapour balancing during tanker-to-tanker transfers 7.1.6.4

### Alongside

- barges 11.9.2
- tugs 23.3.2
- tugs and other craft 24.9.4
- see also Tugs

### Aluminium

- anodes 4.7
- equipment 4.6
- fire protective clothing 19.7

### Anchors

- readiness 23.3.1
- securing 23.4.2.5

### Anodes

- see Aluminium, Cathodic protection

### Antennae, transmitting

- precautions for use 4.8.2.1
- satellite equipment 4.8.2.3

Antistatic additive

- definitions
- use of 11.1.7.9

Approved equipment

- definitions
- alterations to 4.4.4.5
- communications 4.8.1
- fixed electrical 4.4.3
- gas measurement 2.4
- portable electrical 4.3; 12.5.4

Aqueous film forming foam (AFFF)

- use of 5.3.2.1

Area classification

- electrical equipment/installations 4.4
- see also Dangerous area; Hazardous area

Arms

- see Metal cargo arms

Aromatic hydrocarbons

- benzene and others 2.3.5
- see also Benzene

Asbestos

- removal of lagging 4.11
- respiratory hazards 10.2.2

Atmosphere

- cargo tank control 7.1.5
- cargo tank washing and cleaning 11.3.4
- inert 7.1.6; 11.3.4.1
- non-inert 11.3.4.2
- see also Measuring and sampling; Sampling

Auto-ignition

- definitions
- of petroleum liquids 4.10

Automatic Identification System

- see AIS

## B

### Ballast

- cleaning contaminated spaces 11.3.6.11
- contamination of double hull spaces 11.7
- deballasting in port 11.6.5
- loading into cargo tanks 11.6.3
- operations 11.6
- retention to reduce freeboard 11.6.6.1
- simultaneous cargo/ballast 7.1.6.3; 11.1.14.12
- tank lids 24.5
- valve operations 11.6.3.2
- see also Segregated ballast

### Ballast spaces

- monitoring of 7.3.4

### Ballast tanks

- over or under pressurisation 7.2.2

### Barges

- see Alongside, Boats alongside

### Battery equipment

- portable 4.3.4; 4.3.5; 4.3.6

### Bearings

- cargo pump, inspection of 10.11.1; 10.11.7

### Benzene

- and other aromatic hydrocarbons 2.3.5
- cargo information 2.3.4; 22.4.1.2; 22.4.2.1
- in enclosed spaces 10.2.4.1
- toxicity 2.3.5.2

### Berthing

- exchange of information 22.3
- fender operating limits for 17.2

### Berths

- mooring at 9.8.5; 16.2; 23.4
- vehicle access to 24.13
- see also Adjacent berths; Jetty

### Bilges

- pumproom, alarm 10.11.7
- pumproom, cleanliness of 10.11.3

## BLEVE

- definition 27.22;
- vapour burn 30.1.1

## Boats alongside

- during an emergency 9.9.3.1
- during cargo operations 24.9.4
- during tank cleaning 11.3.3.2
- see also Tugs

## Boil-off

- definitions
- cargo 32.5.2; 32.6; 33.3.2
- compressed, condensed, returned to the tank 31.5.2
- control 31.5
- flash-gas 32.7.2
- heat flow 32.7.2; 33.3.2
- insulation boxes 33.2.2
- LNG storage tanks 27.2.1
- loading 31.5
- rates 27.18.1
- reliquefaction 31.1.1
- semi-pressurised cargo of propane 27.21.2
- tank pressures 32.7.2
- vapours 27.13; 27.21.1; 27.21.2; 31.5; 31.5.2; 32.4

## Boiling Point

- definitions
- atmospheric pressure 27.1; 27.2.1; 27.12.1
- BLEVE 27.22
- cargo 32.5.3; 33.1
- ethane 27.19
- ethylene 33.3.1
- in (M)SDS 20.1
- liquefied gas 27.12.2; 27.15
- liquid mixture 27.19
- LNG 27.2.1; 33.1; 33.3.1
- loading heated cargo 11.1.11
- Net Positive Suction Head (NPSH) requirement 31.2
- of compounds 1.1.1
- pressure 27.17; 32.5.3
- propane 33.1; 33.3.1
- special boiling point solvents 2.3.5.1
- temperature limitations 33.3.1
- values 27.18.1
- vapour 27.15, 27.22
- vinyl chloride 27.2.4

## Bonding

- definitions
- in terminal 17.6
- tanker/shore cable/wire 17.5.2; 17.5.4 static electricity Chapter 3
- tank cleaning hoses 11.3.6.1; 11.3.6.2

## Booster Pump

- definitions
- cargo tank pumps 31.2; 32.7.3; Figure 32.13
- cavitate 32.7.4
- centrifugal type 31.2; 32.7.2
- deck-mounted 31.2
- discharging 32.7; 32.7.2
- fully pressurised tankers 31.2
- heater 32.7.3
- in-line equipment fitted to terminal pipeline systems 32.5.3
- pressure increase 32.5.3
- reduce the pressure 32.7.2
- suction 32.7.3
- throttling 32.7.2
- vertical, horizontal Figure 31.8; 31.9
- weatherproof covering 31.8

## Breathing apparatus

- air line 10.8.2
- cartridge/canister face masks 10.8.4
- emergency escape breathing device 10.3; 10.8.3; 10.11.7
- hose mask (fresh air) 10.8.5
- maintenance 10.8.6
- readiness for enclosed space entry 10.5
- self-contained 10.8.1
- stowage 10.8.7
- training 10.8.8

## Bulk Cargo

- definitions

## Bunkering

- operations Chapter 25
- procedures 25.2
- safety check-list 25.4

## Bunkers

- checking of headspace for flammability 4.1
- hazards associated with 2.7
- information exchange 22.2.3; 22.4.1
- see also Residual fuel oil

## Butane

calibration of flammable gas monitors  
2.4.3.4  
Explosive Limits of 1.2.2 Table 1.1;

## Butterfly valves

pressure surge 11.1.5  
see also Valves

## C

### Cables

ship/shore bonding 17.5.2; 17.5.4  
- see also Wandering leads

### Cannons

- see Monitors

### Cans

petroleum in 12.5  
- see also Drums

### Carbamates

- definitions  
ammonia 27.7; 32.2.3; 32.9.5  
carbon dioxide 27.7; 32.9.5  
cargo contamination 27.7

### Carbon dioxide

as product of inert gas 7.1.3  
electrostatic hazard 3.3.6  
fire-fighting 5.3.2.2; 19.5.2  
flooding 8.1.3.1  
use as span gas 2.4.10.1

### Carbon monoxide

as product of inert gas 7.1.3

### Carcinogen

- definitions  
permanent damage 28.3.1  
vinyl chloride 28.3.1

### Cargo

deck 12.5.8

distribution 22.5; 22.6  
handling Chapter 7, Chapter 11;  
Chapter 24; 26.3  
information 22.2.4; 22.4.2  
leakage into ballast spaces 11.3.6.11; 11.7  
MSDS 2.3.4; 20.1  
operations, not always afloat 16.7  
operations, over the tide 16.6  
packaged 12.5  
pipeline draining 10.11.2  
tank lids 24.3.1  
toxicity 2.3  
- see also Discharging; Hoses; Loading;  
Manifolds; Measuring and sampling;  
Metal cargo arms; Pipelines; Pumps;  
Tank; Valves

### Cargo Area

- definitions

### Cargo arms

- see Metal cargo arms

### Cargo Containment Systems

- definitions  
cool-down 32.4  
design chapter 33  
gas carriers 33.1  
independent tank type  
membrane type 33.1  
pressure drop 32.4  
total arrangement for containing cargo 33.2

### Cascade Reliquefaction Cycle

- definitions  
condense cargo vapours 31.5.2  
ethylene 27.2.1  
heat exchangers 27.2.1  
methane 27.2.1  
propane 27.2.1  
pure refrigerant cascade process 27.2.1  
refrigerant compressor 27.2.1; 31.5.2  
simplified Figure 31.13

### Cathodic protection

- definitions  
anodes in cargo tanks 4.7  
hull/jetty 17.5.2  
use during tanker-to-tanker transfers 11.9.5

- Cavitation
- definitions
  - centrifugal pump 32.7.4
  - flow rate 31.2
  - impeller 31.2
  - minimum head of cargo 31.2
  - pump 31.2
- Certificate of Fitness
- definitions
  - gas codes 32.5.1
  - guidance 32.5.1
  - particular grades of cargo 31.2
  - pump design 31.2
  - stability conditions .32.5.1
  - survival requirements 32.5.1
- Certified Gas Free
- definitions
  - hot work 4.4.5.3
- Check-lists
- bunkering safety 25.4
  - tanker/shore safety 26.3
- Chemical indicator tubes
- toxic gases, measurement of 2.4.7.1
- Cigarette lighters
- precautions for use 4.2.2.4
- Cleaning liquids
- precautions for use 12.2.4
- Climatic conditions
- cold weather precautions 7.1.11; 7.2.2.2; 7.2.2.4
  - electrical storms 16.3; 26.1.3
  - lightning 17.6; 26.1.3
  - still air/wind 2.5.5; 11.1.8; 11.1.9.2; 26.1.2
- Clingage
- definitions
  - In cargo arms 18.1.2
- Closed discharging
- operations 11.1.14.3
- Closed loading
- cargoes containing benzene 2.3.5.2; 11.1.10
  - cargoes containing H<sub>2</sub>S 2.3.6.4; 11.1.9.2
  - operations 11.1.6.6
  - very high vapour pressure cargoes 11.1.8
- Closed operations
- definitions
- Clothing
- electrostatic hazard 3.3.7
  - of synthetic materials 26.2.4
  - protective 19.7
- Cold weather
- precautions 7.1.11; 7.2.2
  - see also Climatic conditions
- Cold work
- definitions
  - electrical repairs 4.4.5.2
  - on pipelines 9.4.4.5
  - precautions 10.2.3
- Combustible (flammable)
- definitions
  - Chamber 2.4.3.5
  - Metals 5.2.4, 8.1.4.1
  - Mists 2.4.3.2
- Combustible gas detection
- see gas detection
- Combustible gas indicator (explosimeter)
- definitions
  - area testing 2.7.3.2; 4.5.1; 7.1.6.12; 8.2; 10.3; 11.4.4
  - dilution tubes 2.4.3.4
  - non-catalytic heated filament type 2.4.4
  - pellistor type 2.4.3
- Combustion equipment
- maintenance 4.2.4.1
- Command centre
- emergency organisation 9.9.2.2

## Communications

### Chapter 22

- bunkering 25.2
- closed circuit television 4.4.3.2
- enclosed space entry 10.5
- equipment 4.8; 22.1.1
- language difficulty 22.1.2
- mobile telephones 4.8.6
- paggers 4.8.7
- pre-arrival 16.1; 22.2
- pre-berthing 22.3
- procedures 22.1.2
- pumproom entry 10.10.2
- radio 4.8.2
- satellite 4.8.2.3
- tanker to barge 11.9.2
- tanker to ship 11.9.4
- telephones 4.8.5; 22.1.1;
- terminal emergency 20.2.3; 20.4
- UHF/VHF 4.8.2.2; 22.1.1; 22.1.2
- vapour emission control 11.1.13.10

## Compression Ratio

- definitions
- compressor discharge temperature 31.5.2
- inter-stage cooling 31.5.2
- two-stage cycle 31.5.2

## Condensate

- definitions
- dryness fraction 27.21.2
- enthalpy 27.21.2
- extracted 27.2.1
- liquid 27.15
- NGL 27.2.1
- raw feed gas 27.2.1
- reliquefaction 31.1.1; 32.6; 32.8
- reservoirs 27.2.1
- vapour 32.5.2; 32.6

## Contractors

- management of 9.7

## Craft alongside

- see Alongside, Boats alongside

## Critical Pressure

- definitions
- critical temperature 27.14

liquid state 27.14

Table 27.5

## Critical Temperature

- definitions
- critical pressure 27.14
- gas 27.15
- physical properties Table 27.5
- pressures 27.14

## Cryogenics

- definitions

## D

### Dalton's Law of Partial Pressures

- definition 27.19
- vapour pressure of liquid mixtures 27.19

### Dangerous area

- definitions
- description of 4.4.2
- electrical equipment in 4.4
- work permits 19.1.3
- see also Area classification, Hazardous area

### Dangerous goods

- Definitions

### Deballasting

- see Ballast

### Deck cargo

- carriage of 12.5.8

### Deck water seal

- correct function 7.1.5.2
- freezing of 7.1.11.3

### Deepwell Pump

- definitions
- booster pump 31.8
- cool-down 31.2; 32.4

- gas carriers 31.2
  - loading 31.2
  - pump performance curve 31.2; Figure 31.3
  - typical Figure 31.6
- Density
- definitions
  - air 32.2.3
  - carbon dioxide 27.2.4
  - cargo 27.18.1
  - difference 32.2.3
  - ensuing vapour cloud 27.12.3
  - gas 1.3; 2.2; 2.5.2.1
  - gas mixture 27.19; Table 27.7
  - inert gas 32.2.3
  - layering 27.18.1
  - liquefied gas 27.18.1
  - liquid Table 27.5; 27.18.1; 31.2
  - propane 32.5.5
  - relative 32.5.5
  - saturated vapour 27.17
  - temperature 27.18.2
  - vapour 27.18.2; 27.19; 32.3
  - variations of propane liquid 27.17
- Derricks
- hose handling 22.3.2
  - inspection and maintenance 8.3.1
- Detonation arrestor
- vapour emission control systems 11.1.13.6
- Dew point
- definitions
  - ammonia 32.9.5
  - bubble point 27.20; Figure 27.17
  - cold cargo loading 27.7
  - condense 27.20
  - drying 32.2.2
  - inert gas compositions Table 27.4
  - inert gas generator 32.2.2
  - operational difficulties 27.7
  - refrigerated dryer 32.2.2
  - vapour mixture 27.20
- Dilution tubes
- discourage use of 2.4.3.4
- Dipping
- inerted cargo tanks 7.1.6.6
  - electrostatic hazards 3.2.1; 11.8.2
- Discharging
- cargo 11.1.14
  - closed 11.1.14.3
  - commencement of 11.1.14.7
  - electrostatic hazards 11.1.14.14; 16.11.4
  - gas freeing/tank cleaning concurrently 11.3.6.4
  - inert gas procedures 7.1.6.6; 11.1.14.4
  - information exchange 22.4.2.2; 22.6;
  - over the tide 16.6.1
  - periodic checks 11.1.14.10
  - rates 11.1.14.11; 22.4.2.2
  - stability 11.2
- Dispersion
- gas, evolution and 2.5.3; 2.5.4
- Double banking
- management of operation 16.5
- Double bottom tanks
- cleaning contaminated 11.3.6.11
  - impact on stability 11.2.2
  - loading bunkers into 25.2
  - ventilating 11.4.7
- Double hull tankers
- cargo leakage 11.7
  - inerting double hull tanks 11.7.2
  - ventilating procedures 11.4.7; 11.7.1
- Drain plugs
- inspection of 10.11.1
- Drip pans/trays
- spill containment 24.7.4
- Drugs
- and alcohol policy 13.4
  - trafficking 13.5
- Drums
- precautions, handling/stowing 12.5.1; 12.5.8

Dry chemical powder  
- definitions  
compatibility with foam 5.3.2.1  
flame inhibitor 5.3.3.1  
use on class 'B' fires 5.2.2  
use on class 'C' fires 5.2.3  
- see also Fire-fighting

Dunnage  
use of 12.5.1.2; 12.5.8

## E

Earthing (grounding)  
- definitions  
electrostatic hazards 3.2.2; 11.8.2.2 in  
terminal 17.6  
tanker/shore 17.5.2; 17.5.4  
stays/derricks/booms 4.8.2.1

Electric cables  
- see Wandering leads

Electrical currents  
tanker/tanker 11.9.5  
tanker/shore 17.5.2

Electrical equipment  
alterations 4.4.4.5  
at terminals 4.4.3.4; 17.1  
in dangerous areas 4.4  
in enclosed spaces 10.9.4  
in pumproom 10.11.4  
installations 4.4  
insulation testing 4.4.4.4  
maintenance 4.4.4  
on board ship 4.4.3.3  
permit to work 17.1  
portable 4.3; 10.9.4; 12.5.4  
repairs 4.4.5  
welding and burning 9.5; 9.8.13

Electrical storms  
electrical storms 16.3; 26.1.3

Electrostatic  
- see Static electricity

Emergency  
command centre, tanker 9.9.2.2  
communications 20.2.3.3  
control centre, terminal 20.2.2  
escape routes 21.2.1; 24.10.2  
evacuation Chapter 21  
medical facilities 20.2.7.4  
organisation 9.9.2.2; 20.2.2  
plans 9.9.2; 20.2; 20.4  
preliminary action 9.9.2.3  
preparedness, terminal Chapter 20  
procedures Chapter 20; 10.6; 26.5  
release of cargo hose/arm 18.1.10; 24.6.5  
release of ship; 26.5.4  
removal from berth 20.5; 26.5  
services 20.2.7  
shutdown 11.1.6.3  
signals 22.1.2; 22.4.1.1; 22.4.2.1; 22.4.2.2;  
22.5; 22.6; 25.2  
towing-off pennants 26.5.5  
training and drills 9.9.2.7; 21.4

Enclosed spaces  
- definitions  
entry into Chapter 10, 7.1.6.12; 7.1.7.3;  
12.5.3  
evacuation from 10.6.1  
gas freeing 11.4.2  
inspection of 24.4  
oxygen deficiency 10.2.5  
permits to work in 9.3; 10.4  
respiratory hazards 10.2.2  
toxic hazards 10.2.4

Endothermic  
- definitions

Engine room  
control of potential ignition sources 4.2.4

Enthalpy  
- definitions  
condensate 27.21.2  
condenser 27.21.2

- heat 27.21.2
  - liquefied gases 27.21.1
  - reliquefaction 27.21; 27.21.2
  - thermodynamic heat 27.21.1
  - vapour 27.21.2
- Entropy
- definitions
  - adiabatic process 27.21.2
  - constant 27.16; 32.6.1
  - reversible process 27.16
  - pressure 27.16
- Entry permit
- definitions
  - see also Enclosed spaces; Permit to work system
- Explosimeter
- see Combustible gas indicator
- Explosion-proof (flame-proof)
- definitions
  - cable attachment 4.3.2
  - inspection of fittings 4.4.4.6
- F**
- Fans
- gas freeing 11.4.5; 11.4.6
  - pumproom ventilation 10.11.5
- Fendering
- jetty fendering systems 17.2
  - operating limits for berthing 22.3.2
  - of tugs and other craft 23.3.2; 24.9.4
- Filters
- electrostatic hazards 3.1.2; 3.3.1; 11.1.7.10
  - in sample lines 2.4.13.3
- Fire
- alarm 9.9.2.4; 9.9.3.1; 19.3; 26.5.2
  - alongside a terminal 26.5.2
  - class 'A', combustible material 5.2.1
  - class 'B', hydrocarbon 5.2.2
  - class 'C', electrical equipment 5.2.3
  - class 'D', combustible metals 5.2.4
  - connection, international shore 8.1.2; 19.5.3.5; 19.6; 26.5.3; Figure 26.2
  - control plans 9.9.2.5
  - instructions notice Figure 26.1
  - on berth 26.5.1
  - pumps at a terminal 19.5.3.2
  - training and drills 9.9.2.7; 21.4
  - types of 5.2
  - wires 26.4(4); 26.5.5
- Fire-fighting
- blankets in galley 4.2.3
  - cannons (monitors) 19.5.2; 19.5.3.8
  - carbon dioxide 5.3.2.2
  - carbon dioxide extinguishers 19.5.2
  - carbon dioxide flooding 8.1.3.1
  - cooling, fixed systems 5.3.1; 8.1.2
  - dry chemical extinguishers 5.3.3.1; 12.5.6; 19.5.2; 24.8
  - emergency services 20.2.7
  - equipment, access to 20.2.5
  - equipment, maintenance 9.9.2.6
  - equipment, readiness of 9.9.2.6; 19.2.2; 24.8
  - extinguishers 8.1.4; 12.5.6; 19.5.2
  - fixed system 8.1.2; 8.1.3; 19.5.3
  - foam 5.2.2; 5.3.2.1; 8.1.3.2; 19.5.2; 19.5.3.7; 19.5.3.8
  - hoses 8.1.2; 19.5.3.3; 24.8
  - Hot Work precautions 9.4.3.1
  - hydrants 8.1.2; 19.5.3.3; 19.5.3.4; 19.5.3.7
  - inert gas system 8.1.3.5
  - monitors (cannons) 19.5.2; 19.5.3.8
  - packaged cargo 12.5.5; 12.5.6
  - plans, tanker 9.9.2.5
  - plans, terminal 20.2.4
  - protective clothing 19.7
  - pumproom 10.11.7
  - sand 5.3.2.4;
  - smothering systems 5.3.2; 8.1.3; 12.5.5
  - steam 5.3.2.3
  - tanker equipment 8.1
  - terminal equipment 19.5; 19.6
  - theory and equipment Chapter 5
  - tugs 19.6
  - water 5.2.1; 5.3.1.1; 8.1.2; 19.5.3; 19.6; 26.5.3

- water-borne equipment 19.6
- water curtain 8.1.3.4
- water fog 8.1.3.3
- Flame arrester
  - definitions
  - Tank over-pressurisation 7.2.2.2
- Flame inhibitors
  - dry chemical powder 5.3.3.1
  - general 5.3.3
  - vaporising liquids (halons) 5.3.3.2
- Flame screen
  - definitions
  - cold weather precautions 7.1.11.3; 7.2.2.2
  - on openings/vents 2.7.4.2; 7.1.12.3; 11.1.14.3; 24.3.2
- Flame-proof
  - see Explosion-proof
- Flammability
  - bunker headspace 2.7.3
  - classification, petroleum liquids 1.2.6
  - composition diagram, hydrocarbon/inert gas mixture Figure 1.1
  - general 1.2
  - residual fuel oil 2.7
  - tests for 1.2.4
  - vented gas 2.5.5
- Flammable
  - definitions
  - gas, detection 2.4.2; 2.4.8; 8.2.8; 10.10.2; 19.2.7; 19.2.9; 24.2
  - gas dispersion 2.5.3; Figure 2.3 (a)(b)(c)
  - gas, general 2.5.1; 7.1.1
  - gas, venting 11.4.3
  - limits Figure 1.1; 1.2.2; 1.2.3; 2.4; 2.5.3; 2.5.4; 7.1.1
  - range definitions; 1.2.3; 7.1.1
  - zones, near accommodation block Figure 2.5
  - see also Flammability
- Flange
  - insulating 17.5.2; 17.5.5; Figure 17.1
  - tanker/shore cargo 18.1.3; 18.2.7; 24.6.1;
- 24.6.2; 24.6.3
- vapour manifold 11.1.13.2
- Flashlight (torch)
  - definitions
  - use of 4.3.4
- Flashpoint
  - definitions
  - class 'B' fires 5.2.2
  - classification 1.2.5; 1.2.6
  - fuel oil 2.7; 2.7.3
  - loading over the top 11.1.12
  - reporting of 22.4.1.2; 22.4.2.1
  - test 1.2.5
- Flexible cables
  - see Wandering leads
- Flue gas
  - inert gas composition and quality 7.1.3;
- Foam (froth)
  - definitions
  - concentrate definitions; 5.3.2.1
  - cooling 5.3.1.2
  - extinguishers 19.5.2
  - fire-fighting, theory and equipment Chapter 5
  - fixed installation 8.1.3.2; 19.5.3.7
  - mains 19.5.3.3
  - monitors (cannons) 19.5.3.8
  - petroleum fires, use on 5.2.2
  - solution definitions; 5.3.2.1; 19.5.3.7
- Fog
  - water fog definitions; 5.2.2; 5.3.1.1; 8.1.3.3
- Footwear
  - static charge 3.3.7
- Free fall
  - definitions
  - precautions 3.3.3; 7.1.12.3; 11.3.6.5
- Free surface effect
  - double hull tankers 11.2.2

## Freezing

- inert gas piping 7.1.11
- fire hydrants 8.1.2
- fire-main 19.5.3.3
- metal arms, cargo 18.1.5
- pressure/vacuum valves 7.1.11.3; 7.2.2.2
- steam winches/windlasses 23.4.2.1

## Froth

- see Foam

## Funnel

- fire/sparks 4.2.4.1

# G

## Galleys

- equipment, safe operation of 4.2.3
- steam cookers/boilers 4.2.3
- stoves 4.2.3

## Gangways

- access 16.4
- aluminium 4.6
- inspection/maintenance 16.4.6; 17.3.1
- safety nets 16.4.5
- siting 16.4.4

## Garbage

- disposal facilities 9.8.6
- storage 12.4.2

## Gas

- cylinders 12.1; 12.5.1.2
- density 1.3; 2.2; 2.5.1; 2.5.2.1
- detection 2.4; 8.2; 10.11.7; 19.2.7; 19.2.8; 19.2.9; 19.4; 24.2
- dispersion 2.5.3; 2.5.4
- evolution 2.5.1; 2.5.2
- flammability 1.2.4; 1.2.6; 2.1; 7.1.1
- flue 2.3.9; 7.1.3
- free definitions; 2.5.2.5; 2.5.4; 2.5.5; 7.1.6.11; 11.4
- free certificate definitions; 9.8.9; 22.7.1.2
- freeing 2.5.2.5; 2.5.5; 7.1.6.11; 11.4

indicators 2.4; 8.2

indicators, catalytic filament 2.4.3;

Figure 2.1

indicators, infra-red 2.4.6; Figure 2.2  
indicators, non-catalytic heated filament 2.4.4

inert 7.1

liquefied, packaged 12.1

masks, canister 5.3.2.2; 10.8.4

masks, hose type 10.8.5

measurement (toxic) 2.4.7; 11.8.4

measuring equipment 2.4; 8.2

meter, refractive index 2.4.5

sampling, filters 2.4.13.3

sampling, lines 2.4.13

sampling, procedures 2.4.13.2; 10.3

tests, for entry Chapter 10; 2.4; 7.1.6.12; 11.4.2;

tests, for tank washing 11.3.5

venting 2.5; 11.1.6.6; 11.4.3

## Gas Codes

- definitions

avoidance of ignition sources 27.5

best practice 31.1.4

cargo tank 31.9.1

Certificate of Fitness 32.5.1

electrical installations 31.8

fully refrigerated LPG 33.3.1

gas carriers 33.1

isolating valves for cargo tanks 31.1.2

low-temperature limits 33.3

pressure monitoring 31.9.3

pressure relief valves 27.22

reliquefaction 31.5.1

tank filling limit 32.5.3

various grades of steel 33.3.1

vent risers 31.1.1

## Gas-Dangerous Space or Zone

- definitions

electrical equipment 31.8

## Gas-Freeing

- definitions

enclosed spaces 28.7.1

procedures 27.23

- Gasping-up
- definitions
  - cargo supplied from the shore 32.3
  - cooling plant 32.3
  - difficulties 32.4
  - enclosed spaces 28.7.1
  - incondensable gases 32.5.4
  - inerting levels 27.7
  - liquid 32.3
  - non-flammable condition 32.2.3
  - using liquid from shore Figure 32.3(a)
  - using vapour from shore Figure 32.3(b)
  - vapour 32.3; 32.9.1
- Gauging
- closed 11.1.6.6; 11.1.13.4; 11.8
  - see also Measuring and sampling
- General cargo
- berth, tanker operations at 24.9.3 tankers,
  - at adjacent berth 24.9.2
- Glands
- inspection of pump 10.11.1
- Grounding
- see Earthing
- H**
- Halon
- definitions
  - replacement by foam 5.3.1.1
- Harbour authorities
- in an emergency 20.2.7.1
- Harness
- safety, use of 10.5
- Hazardous area
- definitions
  - at a terminal 4.4.2.2
  - cold work 4.4.5.2
  - communications equipment 4.8
  - electrical equipment 4.3; 4.4
  - Hot Work 4.4.5.3; 9.4.4
  - permit to work 9.3
  - tanker at a berth 4.4.2.3
  - see also Hazardous zone
- Hazardous zone
- definitions
  - see Hazardous area; Dangerous area
- Heated products
- loading 11.1.11
- High vapour pressure cargoes
- discharging 11.1.14.5
  - loading 2.5.2; 11.1.8
- High velocity vent valves
- cold weather precautions 7.2.2
  - tank outlets 2.5.5; 24.3.3
  - use during closed loading 11.1.6.6
- Holds
- see Enclosed spaces
- Hoses
- cargo 3.2.2; 11.9.5; 17.5.2; 18.2
  - clearing 11.1.15
  - emergency release of 24.6.5
  - fire 8.1.2; 19.5.3
  - flange 11.1.13.2; 18.2.7
  - flow velocities 18.2.5; Table 18.1;
  - handling/lifting/suspending 18.2.11
  - inspection and testing 18.2.6
  - marking 18.2.4
  - pressure ratings, explanation 18.2.6.6
  - retirement criteria 18.2.6.5
  - storage 18.2.9
  - tank cleaning 11.3.5.2; 11.3.6.2; 11.3.6.3
  - weights 18.2.11
- Hot Work
- definitions
  - conditions 9.4; 11.4.8
  - control of 4.4.5.3; 9.4.1
  - electrical repairs 4.3.2; 4.4.5.3
  - fire-fighting equipment 9.4.3.1
  - general 9.4
  - in cargo tanks 9.4.4.2

in dangerous or hazardous areas 9.4.4  
on open deck 9.4.4.3  
on pipelines 9.4.4.5  
permit definitions; 9.3; 9.4.1; 9.4.3.1; 19.1.3

#### Human element

considerations onboard Chapter 13  
fatigue 13.3.2  
see also Manning

#### Hydrocarbon gas

- definitions  
catalytic filament combustible gas  
indicator 2.4.3; Figure 2.1  
density 1.3; 2.2  
detection 2.4; 8.2; 19.4  
dispersion 2.5.3; 2.5.4  
evolution 2.5.1; 2.5.2  
evolution and dispersion 2.5  
flammability 1.2; Figure 1.1  
in enclosed spaces 10.2.3  
indicators 2.4  
inert gas mixture, flammability composition  
diagram Figure 1.1  
measurement 2.4.2; 7.1.6.10; 10.3  
non-catalytic filament indicator 2.4.4  
refractive index meter 2.4.5  
tests for entry 2.4; 7.1.6.12; 11.4.2  
toxicity 2.3

#### Hydrocarbons

aromatic 2.3.5

#### Hydrogen sulphide

general 2.3.6  
in bunker fuel 2.7.5  
precautions 2.3.6; 2.6; 2.7.5; 10.2.4.2;  
11.1.9  
reporting presence of 22.4.1.2; 22.4.2.1  
respiratory hazards 2.3.6.3; Table 2.1;  
10.2.2

#### Hygiene

personal 26.2.3

#### Ice formation

in fire hydrants 8.1.2  
on ballast vents 7.2.2  
on metal arms 18.1.5  
- see also Climatic conditions; Freezing

#### IGS

- see Inert gas system

#### Incendive spark

anodes 4.7  
connection/disconnection of hoses/arms  
17.5.2  
gas indicators 2.4.3.5  
portable tank washing machines 11.3.6.1  
use of tools 4.5; 22.7.3

#### Induced charge

electrostatic Chapter 3

#### Inert condition

- definitions  
dipping/ullaging/sampling in 11.8.3; 24.4  
fixed inert gas systems 7.1  
for crude oil washing 7.1.6.9  
for handling static accumulator oils 11.1.7.2  
for tank washing 7.1.6.9  
inspection of tanks in 7.1.6.12; 7.1.7.2;  
10.2.5; 24.4

#### Inert gas

- definitions  
assistance in fire-fighting 8.1.3.5  
ballast passage 7.1.6.7  
cold weather precautions 7.1.11  
composition 7.1.3  
effect on flammability 1.2.3; Figure 1.1  
electrostatic charge, precautions 3.3.5;  
11.8.3.1  
failure of 7.1.12  
health hazard 7.1.7  
hose clearing 11.1.15.4  
leakage 7.1.6.5; 7.1.6.12  
maintenance of supply 7.1.6.6  
plant definitions, 7.1.5.2, 7.1.6.2, 7.1.13,  
7.1.6.8  
pressurising 7.1.5; 7.1.8

- procedures 7.1.5; 7.1.12; 11.1.6.5; 11.1.14.4
  - product carriers 7.1.12.3
  - purging 1.2.3; 2.5.2.4; 7.1.6.10
  - quality 7.1.3
  - repairs to system 7.1.13
  - residual fuel oil tanks 2.7.4.4
  - scrubbers 7.1.13
  - sources of 7.1.2
  - system (IGS) definitions; 7.1
  - topping up 7.1.6.5; 7.1.6.7
  - toxic components 7.1.3; 7.1.7; 10.3
  - water seal 7.1.5.2; 7.1.11.3; 7.1.13
- Inerted tanks
- entry into 7.1.6.12; 7.1.7.3; 24.4
  - inspection of 7.1.6.12; 7.1.7.2; 10.2.5; 24.4
- Inerting
- definitions
  - double hull spaces 11.7.1
  - tanks 7.1.4; 7.1.5; 7.1.6.1
- Information
- exchange of Chapter 22
- Insulating flange
- definitions
  - tanker/shore 11.1.13.8; 11.9.5; 17.5.5; Figure 17.1)
  - testing 17.5.5.2
- Insulation
- electrical, testing of 4.3.1; 4.4.4.4
- Interface detector
- definitions
  - precautions for use 11.3.5.2
- International shore fire connection
- use of 8.1.2; 19.5.3.5; 19.6
  - description of 26.5.3; Figure 26.2
- Intoxicated
- persons 16.4.8
- Intrinsically safe
- definitions
  - equipment, use of 4.3; 4.8
- Iron sulphide, pyrophoric
- see Pyrophoric iron sulphide
- Isothermal
- definitions
  - compression 27.16
  - compressor 27.16
  - gas laws 27.16
- ## J
- Jetty
- access 9.8.6; 16.4; 19.8
  - fendering capacity 17.2
  - mooring at 23.4
  - traffic movement and control 19.8; 20.2.6
- ## L
- Lamps
- air driven 4.3.3; 12.5.4
  - portable 4.3
- Language difficulties
- avoiding 22.1.2
- Latent Heat
- definitions
  - condensation 27.12.1; 27.13
  - flash evaporation 27.21.2
  - fusion 27.12.1
  - pressure 27.12.1
  - solidification 27.12.1
  - substance in changing state 27.12.1
  - total internal energy of a fluid 27.21.1

Latent Heat of Vaporisation

- definitions
- cold liquid refrigerant 27.13
- pressure Table 27.4 (a); 27.12.1; 27.13

Lead (Pb)

- in cargo 22.4.1.2; 22.4.2.1
- tetraethyl/tetramethyl 2.3.8

Leaded gasoline

- tank entry 11.3.6.9

Leakage

- inert gas 7.1.6.5; 7.1.6.12
- oil 4.10; 10.2.3; 24.7

LEL

- see Lower Explosive Limit

Lifebuoys

- gangway safety 16.4.2

Lifelines

- gangway safety 16.4.2
- use in a rescue 10.6.2

Life saving appliances

- availability for evacuation and rescue 21.2.5

Lifting equipment

- in terminal 17.3
- on ship 8.3

Lighters

- cigarette 4.1; 4.2.2.4

Lighting

- access 16.4.2
- cargo connections 24.6.4
- within terminal 17.4

Lightning

- earthing and bonding 17.6
- electrical storms 16.3; 26.1.3

Lights

- explosion proof, pumphoom 10.11.4
- naked definitions; 4.2.1; 4.2.2.5; 24.9.4; 24.10
- provision of 12.5.1.2; 16.4.2; 24.6.4

Liquefied gas

- definitions
- basic properties Chapter 27; 27.1
- cargo Chapter 27; 28.1; 32.11
- compressor 31.6.1; 31.6.2
- electrostatics 29.1
- fire-fighting 30.3
- fires 30.2
- flammable nature 28.2.1
- fully refrigerated tankers 33.1
- hazards 28.1; 28.2.1; 28.2.2; 28.3.1; 28.4
- integral tanks 33.2.4
- list Table 28.1; Table 28.3
- loading 32.5.3; 32.5.5
- packaged 12.1
- radar gauges 31.9.1
- radiation 28.2.2
- semi-pressurised tankers 33.1
- ship-To-ship transfer 32.10
- storage 30.1.1
- temperature 32.5.5
- two-stage direct cycle equipment 31.5.2
- vapours 28.1; 28.2.2; 32.5.1

LNG

- definitions
- carbon dioxide 27.2.1
- carriers 27.18.1; 33.1; Figure 33.5(a); Figure 33.6 (a); 33.2.3
- composition 27.2.4
- containment systems 33.1
- liquefaction Figure 27.2
- material of tank construction 33.3.1
- membrane system 33.2.2
- methane 27.2.1
- production 27.2.1
- storage tanks 27.2.2
- trade 33.1
- type 'B' spherical tank 33.2.1
- types of Gas Carriers 33.1

Loading

- cargo 11.1.6
- cargo containing benzene 11.1.10
- cargo containing H<sub>2</sub>S 11.1.9
- cessation of, by terminal 11.1.6.15)
- checks following 11.1.6.17
- closed 11.1.6.6
- commencement of 11.1.6.7
- communication system 22.4.2.1

double hull tankers 11.2  
heated products 11.1.11  
high vapour pressure cargoes 11.1.8  
inspection of cargo tanks before 24.4  
overall definitions; 3.3.3; 11.1.12  
over the tide 16.6.2  
packaged petroleum 12.5  
periodic checks 11.1.6.13  
plans 22.5  
rate definitions; 3.2.1; 7.3.3; 11.1.6.14;  
11.1.7; 11.1.8; 11.1.11; 18.2.5; 22.4.1;  
22.4.2  
readiness 11.1.6.2  
spread 11.1.7.7  
static accumulator oils 3.2.1; 11.1.7  
switch 11.1.7.10  
topping off 11.1.6.16

#### Lower Explosive Limit

- definitions  
crude oil vapours 7.1.1  
effect of inert gas 1.2.3; Figure 1.1; 7.1.1  
gas free tanks 2.5.2.5; 11.4.2; 11.4.3  
general 1.2.2; 2.1; 7.1.1  
measuring 2.4; 2.7.3.2; 8.2.2  
tank cleaning 11.3.5.2

#### LPG

- definitions  
carbon dioxide 27.7  
carriers 27.18.1; 31.6.4; 33.2.1; Figure  
33.1; 33.2.3; 33.2.4  
chemical gases 27.2.4  
compressor 31.6  
discharge 31.2; 32.6; 32.8  
dry chemical powders 30.3.1  
ethylene 27.2.4  
fires 30.3.1  
gassing-up 32.3  
heat radiation levels 30.2.3  
hydrate formation 27.9  
natural gas liquids (NLGs) 27.2  
power generation 27.2.4  
production 27.2.2  
refrigerants 27.13  
reliquefaction 31.5  
temperature 32.6; 33.3.1  
terminals 32.5.2  
type 'B' spherical tank 33.2.1  
types of Gas Carriers 33.1  
vapour 32.3; 32.5.2; 32.9.5

## M

#### Magnesium

anodes 4.7

#### Manifolds

forces on 18.1.2; 18.1.3; 18.2.11  
tanker/shore cargo connection 24.6  
shore 22.2.4; 22.3.2; 24.6  
tanker 18.1.1; 18.1.2; 18.1.3; 18.1.6; 18.1.7;  
18.2.11; 22.2.3; 22.3.2; 24.6  
vapour return 11.1.13.2

#### Manning

in an emergency 24.11  
levels, ship 13.1  
levels, shore 15.5.1

#### MARVS

- definitions  
cargo valves 31.1.2; 32.5.4

#### Matches

use of 4.2.2.4

#### Material Safety Data Sheet

- definitions  
provision of 2.3.4; 11.3.6.8; 12.2.1; 22.4.2.1  
in emergency 20.1

#### Measuring and sampling

cargo and ballast handling 11.8  
cargoes containing toxic substances 11.8.4  
inerted tanks 11.8.3  
non-inerted tanks 11.8.2  
precautions during 11.8.2.1; Table 11.2;  
Figure 11.4  
- see also Sampling; Ullage  
Medical facilities  
communication with, in an emergency  
20.2.7.4

## Mercaptans

- definitions

Effect on electrochemical sensors 2.4.10.2  
information on 2.3.7; 10.2.4.3; 22.4.1.2;  
22.4.2.1  
respiratory hazards 10.2.2

## Metal cargo arms

clearing 11.1.15  
damage due to pressure surge 11.1.4  
emergency release of 18.1.10; 24.6.5  
forces on 16.3; 18.1.2; 18.1.7  
ice formation on 18.1.5  
mechanical couplers 18.1.6  
operating envelope 11.6.6.1; 16.3; 18.1.1  
parking lock 18.1.4; 18.1.5  
precautions whilst connected 18.1.9  
risk of arcing 17.5.2  
wind forces on 18.1.2; 18.1.7

## Mobile telephones

use of 4.8.6

## Monitors (cannons)

foam 8.1.3.2; 19.5.3.7  
general 19.5.3.8  
portable 19.5.2

## Moorings

arrangements 22.3; 23.4  
buoy 22.3.2  
communications 22.3  
emergency release of 26.5.4  
emergency towing-off pennants 26.5.5  
equipment 22.3.1; 23.4  
lines 23.4.1  
management of 23.4.2  
plan 22.3.2  
safety of personnel 23.1  
security of 23.2  
self-stowing winches 23.4.2.3  
shore 22.2.4; 23.4.2.4  
tending 18.1.9; 23.4.2.1  
terminal equipment 16.2  
tugs, requirement for 22.2.4; 22.3.2; 23.3.2;  
23.3.3  
winch brake design capacity 23.4.2.3  
- see also Conventional buoy moorings;  
Single point moorings

## N

### Naked lights

- see Lights, naked

### Navigation

- Purpose and Scope

### Nitrogen

hazards 2.4.10.1; 11.1.15.8  
receiving from shore 11.1.15.8

### Nitrogen oxides

electrochemical sensors 2.4.10.2

### Non-catalytic heated filament gas indicator

operation of 2.4.4

### Non-conductors

static 3.1.4

### Non-gas free compartments

entry into 10.7

### Non-inerted tanks

electrostatic hazards 11.1.7; Figure 11.1  
measuring and sampling 11.8.2;  
Table 11.2; Figure 11.4

### Non-return valves

- see Valves

### Non-volatile petroleum

- definitions  
and hydrocarbon vapours 10.2.3  
classification 1.2.6  
loading overall 11.1.12  
reporting 22.4.1.2

### Notices

entry to enclosed spaces 10.4  
fire instructions Figure 26.1  
naked lights 4.2.2.5; 24.10.1; 24.10.2

on tanker 24.10.1  
on terminal 24.10.2  
pumproom entry 10.10.2  
smoking 4.2.2.3; 4.2.2.5; 24.10.1; 24.10.2  
tank entry 9.8.13; 10.4

## O

Oil spillage and leakage  
accidental 24.7  
auto ignition 4.10

Opening-up equipment  
in enclosed spaces 10.9.2  
inert gas plant 7.1.13

Openings  
in cargo tanks 24.3  
in superstructure 24.1

Outside contractors  
safe working practices 9.7; 9.8

Over the tide operations  
general procedures 16.6

Overboard discharge valves  
- see Valves

Oxygen  
analysers/meters definitions; 2.4.9; 2.4.10;  
7.1.6.1; 7.1.6.4  
content of tank atmosphere 1.2.3; 7.1;  
8.2.2.2; 10.2.5  
deficiency 2.3.9.1; 2.3.10; 7.1.7.1; 7.1.7.2;  
10.2.5; 10.7  
liberation from cargo 7.1.6.5  
sampling, enclosed spaces 10.3; 10.11.7

## P

P/V valves  
- see Pressure/vacuum relief valves

Packaged cargo  
- definitions  
general 12.5

Packaged petroleum  
and other flammable liquids 12.5.1

Pagers  
- see Radio pagers

PELs  
- see Permissible Exposure Limits

Pentane  
Explosive Limits Table 1.1

Permissible Exposure Limits (PELs)  
of toxic vapour 2.3.3.2

Permit to work system  
- definitions  
at a terminal (general considerations)  
19.1.3  
electrical maintenance 17.1; 17.5.5.3  
hotwork 9.4.3.1; 22.7.1.2  
in enclosed spaces 10.9.1; 19.1.3  
on ship 9.3  
other hazardous tasks 9.6  
use of tools 4.5.1; 22.7.3

Personal gas monitors  
use of 2.4.12

Personal Protective Equipment (PPE)  
enclosed space entry 10.5  
exposure to benzene 2.3.5.2; 10.2.4.1  
exposure to H<sub>2</sub>S 2.3.6.4; 11.1.9.2  
exposure to liquid petroleum 2.3.2.2  
gas monitors 2.4.12  
general 19.1.2; 26.2.1  
- see also Protective clothing

- Petroleum  
- definitions  
cans of 12.5.1.2  
drums of 12.5.1.2; 12.5.8  
gas definitions; 2.1; 2.2; 2.4  
gas cylinders 12.1; 12.5.1.2  
gas, effects of exposure to 2.3.3.3  
hazards of Chapter 2  
leakage 4.10; 10.2.3; 11.7; 24.7  
loading and discharging 11.1; 12.5.1.1  
non-volatile 1.2.6; 10.2.3; 11.1.12;  
22.4.1.2; 24.1; 24.3.3  
packaged 12.5.1  
precautions during handling 12.5.1.2;  
Chapter 24  
properties of Chapter 1  
toxicity 2.3  
volatile 1.2; 11.1.12; 12.5.1.1; 24.1; 24.3.3
- Pigging  
cargo lines 11.1.15.9
- Pilots  
in an emergency 20.2.7.2
- Pipelines  
cargo and bunker, not in use 24.7.5  
cargo, Hot Work on 9.4.4.5  
cargo, maintenance 10.11.3  
drain valves in foam lines 19.5.3.7  
draining 10.11.2; 11.1.15.3  
fire main 8.1.2; 19.5.3.3  
pressure surge in 11.1.4; 16.8; 16.9; 16.10  
pumproom 10.11
- Pollution regulations  
terminal 15.1; 22.1.3
- Polymerisation  
- definitions  
inhibitor 27.8  
liquefied gases 27.8  
prevention 32.6  
process 27.8  
unsaturated hydrocarbons 27.4  
vinyl chloride Figure 27.9
- Port  
emergency services 20.2.7  
exchange of information 22.2; 22.3; 22.4
- preparation for arrival 22.3
- Portable electrical equipment  
use of 4.3; 4.8; 11.8.3  
- see also Electrical equipment
- Portable washing machines  
- see Washing machines
- Pour point  
- definitions
- Powered Emergency Release Coupling  
(PERC)  
general 18.1.10
- PPE  
- see Personal Protective Equipment
- Pressure surge  
- definitions; 16.8; 16.9; 16.10  
- see also Pipelines
- Pressure testing  
hoses 18.2.6
- Pressure/vacuum breaker  
cold weather precautions 7.1.11.3  
Pressure/vacuum relief valves (p/v)  
- definitions  
cold weather precautions 7.1.11.3; 7.2.2  
use of 7.1.8; 11.4.4; 24.3.3
- Pressurising cargo tanks  
cargo tank operations 7.1.6  
high vapour pressure cargo 7.1.6; 11.1.14.5
- Product carriers  
inert gas system 7.1.12.3
- Propane  
Explosive Limits Table 1.1
- Protective clothing  
fire 19.7  
- see also Personal protective equipment

## Pumproom

- alarms 10.11.6; 10.11.7
- bilges 10.11.2; 10.11.3
- electrical equipment 10.11.4
- entry 10.10
- flammable gases 4.1
- hydrogen sulphide 10.2.4.2
- lighting 10.11.4
- maintenance 10.11.3
- miscellaneous 10.11.7
- precautions 10.11.1
- ventilation 10.10.1; 10.11.5

## Pumps

- alarms and trips 10.11.6
- booster 22.4.2.2
- maintenance 10.11.3
- operation 11.1.4; 11.6.3.1
- stopping times 22.4.2.1

## Purging

- definitions
- before emergency disconnection 24.6.5
- minimising hazards 2.5.5
- tanks 7.1.6.10
- with inert gas 1.2.3; 2.5.2.4

## Pyrophoric iron sulphide

- definitions
- inert gas system failure 7.1.12

## R

### Radar

- use alongside at a terminal 4.8.3; 23.3.2

### Radio

- battery powered portable 4.3.4; 4.8.2.2
- main 4.8.2
- mobile phone 4.8.6
- paggers 4.8.7
- telephone 4.8.2

## Readiness

- of fire-fighting equipment 9.9.2.6; 19.2.2; 24.8
- of resuscitator 10.5; 10.6.3; 10.7
- to load 11.1.6.2
- to discharge 11.1.14.1
- to move 7.4

## Receiver

- definitions

## Reducers and spools

- specification 24.6.3

## Refractive index meter

- operating principle 2.4.5

## Reid vapour pressure (RVP)

- definitions
- and flammability 1.1.2
- and very high vapour pressure 11.1.8

## Relative Liquid Density

- definitions

## Repairs

- alongside 7.4; 22.7.1; 22.7.2
- at facility other than shipyard 9.8
- electrical 4.4.5
- inert gas plant 7.1.13
- pumproom 10.11.4
- radio 4.8.2.1
- see also Permit to work system

## Rescue

- craft 21.2.4
- from enclosed spaces 10.6.2
- launches 20.2.7.3

## Residual fuel oil

- flammability hazards 2.7
- see also Bunkers

## Respiratory

- protective equipment 10.8
- see also Breathing apparatus

## Responsible Officer (or Person)

- definitions
- checks by 19.1.3; 25.4; 26.3

communications between 22.1.1  
supervision by 11.1.15.4; 11.3.3.1  
under ISM 9.2

#### Resuscitator

- definitions  
general 10.6.3  
readiness of 10.5; 10.7

#### Risk Assessment

cargo operations 11.1.7.7; 11.8.1; 16.5;  
16.6; 16.7  
enclosed space 10.4; 10.7  
general 9.2.1; 15.2  
hotwork 9.4.1  
other hazardous tasks 9.6  
terminal 19.1.2; 19.5.1; 20.3.3.1

#### Rollover

- definitions  
conditions 27.18.1  
phenomenon 27.18.1

#### Ropes

mooring 23.4.1  
synthetic fibre 3.1.2; 11.3.5.2; 11.8.2.2  
wire 23.4.1

#### Rotating shafts

inspection of glands/bearings 10.11.1

#### RVP

- see Reid vapour pressure

## S

#### Safety letter

example of 26.3.3  
Safety Management System (SMS)  
- definitions; 9.2; 19.1.2  
ISM Code definitions; 9.1

#### Safety nets

for gangway 16.4.5

#### Sampling

filters in lines 2.4.13.3  
gas measuring equipment 2.4; 8.2  
inert gas failure 7.1.12.3  
lines, tank atmosphere 8.2.5  
manual, gas inhalation 11.8.1  
procedures 2.4.13.2  
residual fuel oils 2.7.5  
static accumulator oils 7.1.6.8; 11.8.2.3;  
Table 11.2; Figure 11.3  
tanks 11.8.2; 11.8.3  
toxic cargoes 11.8.4  
vapour recovery 11.1.13.5  
- see also Measuring and sampling;  
Ullage

#### Satellite communications

and ignition hazard 4.8.2.3

#### Scale

and gas release 10.2.3  
and Hot Work 9.4.4.2  
in enclosed spaces 10.2.3; 10.9.1; 10.9.5  
removal 9.4.4.2; 10.9.5; 11.3.6.10

#### Screen

door 24.1  
- see also Flame screen

#### Scupper

plugs 24.7.3

#### Sea islands

evacuation 21.1; 21.2

#### Sea valves

- see Valves

#### Secondary Barrier

- definitions  
cargo Containment System 33.2; 33.2.1  
fully refrigerated LPG carrier 33.2.1  
hold space 33.2.1  
IGC Code 33.2.1  
membrane containment systems 33.2.2

- Security
  - Code (ISPS) Chapter 6
  - exchange of information 22.2.1
  - notices 24.10
  - plans 6.4
  - unauthorised persons 16.4.7
- Sediment
  - see Scale
- Segregated ballast
  - contaminated 11.3.6.11
  - discharging 11.6.6
  - loading 11.6.4
  - retention 11.6.6.1
  - tank lids 24.5
- Self-stowing mooring winch
  - definitions
  - general 23.4.2.3
- Tanker/barge transfer
  - precautions 11.9.2
- Tanker/berth compatibility
  - criteria 15.6
- Ship/Shore Safety Check-List
  - bunkering 25.4.3
  - check-list 26.3
  - guidelines for completing 26.4
- Tanker-to-tanker transfer
  - procedures 11.9.1
  - using vapour balancing 7.1.6.4
- Shipyard safety
  - Purpose and Scope
- Shore fire services
  - communication with 20.2.7.1
  - practice with tanker personnel 9.9.2.7
- Shore moorings
  - see Moorings
- Short Term Exposure Limit
  - see Threshold Limit Value
- Sighting and ullaging ports
  - use of 24.3.2
- Signals
  - ship/shore 22.1.2
- Single point moorings
  - berthing information 22.3.2
  - mooring at 22.3.2
- Slops
  - definitions
  - free fall of 11.3.6.5
  - loading overall 11.1.12
  - onboard 22.2.3; 22.2.4; 22.4.1.1; 22.4.1.2
- Sludge
  - see Scale
- Slugs
  - of water 3.3.4
- Smoking
  - alongside 4.2.2; 12.5.1.2; 16.4.8; 24.10
  - at sea 4.2.2.1
  - designated areas 4.2.2.3
  - notices 4.2.2.5; 24.10
- Smothering systems
  - extinguishing agents 5.3.2
  - packaged cargo 12.5.5
- SOLAS
  - definitions
- Sounding
  - during washing 11.3.5.2; 11.8.2.5
  - pipe definitions; 3.2.1; 11.3.5.2; 11.8.2.3; Table 11.2; Figure 11.4
  - ports 11.1.6.6; 24.3.2
- Sour crude oil
  - definitions
  - precautions when handling 2.3.6.4; 7.1.7.1; 11.1.9
  - reporting 22.2.3; 22.4.1.2; 22.4.2.1
- Spare gear
  - stowage on deck 12.2.5

- Spillage of oil
  - containment 24.7.4
  - during transfer operations 24.7
  - in engine room 4.1
  - in pumproom 10.11
- Spontaneous combustion
  - definitions
  - prevention of 4.9; 12.4.1; 12.5.1.2
- Spray
  - arresters, pumproom 10.11.7
  - water 5.2.2; 8.1.2; 11.3.6.6; 19.5.3.9
- Stability
  - tankers 11.2
- Static accumulator oil
  - definitions, Chapter 3
  - dipping/ullaging/sampling 3.2; 11.1.7; 11.8.2.3; 11.8.3.1; Table 11.2; Figure 11.4
  - discharge of cargo 11.1.14.14; 16.11.4
  - loading 11.1.7; 11.8.2.3; 11.8.3.1; Figure 11.1; Figure 11.2
  - water, minimising the hazards of 11.1.7.4; 11.1.7.5
- Static electricity
  - definitions, Chapter 3
  - carbon dioxide 3.3.6
  - charge accumulation 3.1.3; 11.1.7; 11.3.6.6; 11.8.2
  - charge relaxation 3.1.3; 11.1.7
  - charge separation 3.1.2
  - clothing and footwear 3.3.7; 26.2.4
  - conductors 3.1; 11.8.2
  - dipping/ullaging/sampling 3.2; 11.3.5.2; 11.8.2; 11.8.3; Figure 11.4; Table 11.2
  - discharge 3.1.4; 11.1.13.8
  - discharge of carbon dioxide 3.3.6
  - filters 3.3.1
  - fixed equipment in cargo tanks 3.3.2
  - free fall 3.3.3; 11.3.6.5
  - general precautions 3.2; 11.8.2
  - inert gas 3.3.5; 7.1.6.1; 7.1.6.8; 11.8.3.1
  - intermediate conductors 3.1.4.2
  - non-conductors 3.1.4.2
  - non-inerted tanks Table 11.2
  - other sources 3.3
  - principles 3.1
  - static accumulator oils 3.1.4.2; 11.1.7; 11.8.2.3
  - steam 3.1.2; 3.1.5; 11.3.5.2
  - switch loading 11.1.7.10
  - synthetic materials 3.3.8
  - tank washing Chapter 3; 11.3.5
  - water in oil 11.1.7.4; 11.1.7.5
  - water mist 3.3.4; 11.6.3.2; 11.8.2.5
- Static non-accumulator oil
  - definitions
  - dipping/ullaging/sampling Figure 11.4; 11.8.2.4
  - flammable atmosphere above 11.8.2.4
- Stays
  - earthing 4.8.2.1
- Steam
  - electrostatic hazard 3.1.2; 3.1.5; 11.3.5.2; 11.3.6.8
  - fire-fighting 5.3.2.3
  - tank washing 11.3.5.2; 11.3.6.8
- Steam winches
  - cold weather precautions 23.4.2.1
- Stern discharge/loading
  - smoking controls 4.2.2.3
- Still air conditions
  - gas dispersions 2.5.4.2; 2.5.5; 11.1.8; 26.1.2
- Storms
  - electrical 16.3; 17.6; 26.1.3
- Stowage
  - cargo and bunker samples 12.3
  - deck 12.5.8
  - gas cylinders 12.1
  - packaged cargo 12.5
  - tanker's stores 12.2
- Strainer
  - covers, inspection of 10.11.1

## Stress

on ship's hull 11.2; 11.6.2; 11.6.4; 22.5;  
22.6

### Stripping

- definitions  
operation 11.1.14.14

## Submerged Pump (deepwell)

- definitions

## Sulphur dioxide

in inert gas 7.1.3  
measurement 2.4.7.2

## Superstructure (Accommodation block)

air flow over Figure 2.4  
openings in 24.1

## Supplier

- definitions

## Surge Pressure

- definitions  
loading 31.1.3; 31.9.2  
parameters 31.1.3  
phenomenon 31.1.3  
pipeline systems 31.1.1

## Synthetic

clothing 3.3.7; 26.2.4  
fibre ropes 11.3.5.2; 11.8.2.2; Table 11.2;  
Figure 11.4  
materials and electrostatic hazards 3.3.8

# T

## Tank

atmosphere 7.1.4; 7.1.5; 11.3.4  
cargo handling 11.1  
cleaning definitions; 7.1.6.9; 11.3  
cleaning chemicals 11.3.6.8  
headspace flammability 2.7.3.2  
Hot Work 9.4.4.2; 9.4.4.4  
inerting 7.1.5; 7.1.6  
inspection 24.4

lids 24.3.1; 24.5

openings 24.3.1; 24.3.2; 24.5

over and under pressurisation 7.2.2

overfill 11.1.13.4

preparations for tank cleaning 11.3.3.1

sludge/scale/sediment removal 11.3.6.10

stripping and draining 11.1.14.14

venting 7.1.6.2; 7.2

washing, electrostatic hazards 3.3.4

- see also Gas freeing

## Tanker

- definitions

general precautions Chapter 4

management of safety and emergencies  
Chapter 9

permit to work 9.3

repairs alongside 22.7

## TEL

- see Tetraethyl lead

## Telephones

approved type 4.8.5

use at a berth 22.1.1

use in an emergency 19.3.3; 20.4.3

use in hazardous areas 4.3.4; 4.8.1; 4.8.5;  
4.8.6

## Television

closed circuit 4.4.3.2; 15.5.2

Temperature monitoring

pumproom 10.11.7

## Tension winch

- definitions

## Terminal

- definitions

operating manual 15.3

## Terminal fire protection

design and operation Chapter 19

## Terminal representative

- definitions

responsibility for safe cargo operations  
4.2.2.3; 11.1.6.1; 15.5.3; 22.5; 22.6; 26.3

## Testing

- alarms and trips 10.11.6
- atmosphere for entry 7.1.7.3; 10.3

## Tetraethyl lead (TEL)

- in gasoline 2.3.8

## Tetramethyl lead (TML)

- in gasoline 2.3.8

## Threshold Limit Value (TLV)

- definitions; 2.3; 2.7.5

## Time Weighted Average (TWA)

- definitions (TLV) (where TWA defined); 2.3.3.2

## TLV

- see Threshold Limit Value

## TML

- see Tetramethyl lead

## Tools

- hand 4.5.2; 10.9.3; 22.7.3
- non-sparking 4.5.2
- power 4.5.1; 10.9.3; 22.7.3
- use in enclosed space 10.9.3
- use of 4.5
- see also Permit to work system

## Topping-off

- definitions
- tanks on board 11.1.6.16

## Topping-up

- definitions
- inert gas 7.1.6.5; 7.1.6.7

## Torch

- see Flashlight

## Towers

- fire-fighting 19.5.3.8

## Towing off wires

- see Emergency towing-off pennants

## Toxic

- gases 2.3; 2.4.7; 7.1.7.3; 10.2; 10.3
- see also Benzene; Hydrogen sulphide; Toxicity

## Toxicity

- definitions
- aromatics 2.3.5.1
- benzene 2.3.5.2; 7.1.6.12; 10.2.4.1; 11.4.2
- carbon monoxide 7.1.3
- halon 5.3.3.2
- hydrocarbon gas 2.3.3; 2.5
- hydrogen sulphide 2.3.6; 2.7.5; 10.2.4.2; 11.1.9; 11.4.2
- leaded gasoline 2.3.8; 11.3.6.9
- liquid petroleum 2.3.2
- petroleum 2.3
- petroleum gases 2.3.3; 2.5; 11.4.2
- sulphur dioxide 7.1.3

## Transfers

- tanker/barge 11.9.2
- tanker/tanker 11.9.1

## Transmitter

- radio 4.8; 22.1.1

## Trips

- cargo pump 10.11.7

## True Vapour Pressure (TVP)

- definitions
- and volatility 1.1.1
- discharging 22.4.1.2
- information exchange 22.4.1
- loading 2.5.2.1; 11.1.8; 22.4.1.1

## Tugs

- alongside 24.9.4
- in emergency 23.3.3
- fire-fighting 19.5.3.6; 19.6
- use of 22.2.4; 22.3.2; 23.3.2

## TVP

- see True vapour pressure

## TWA

- see Time weighted average

## U

### UEL

- see Upper Explosive Limit

### UHF/VHF

transceivers 4.3.4; 4.8.2.2; 20.2.3.3; 22.1.1

### Ullage

- definitions

equipment 11.8.1

inerted 7.1.6.6; 7.1.6.8; 7.1.12.3; 11.8.3

manual, inhalation of gas 7.1.7.2; 11.8.1

ports 11.1.6.6; 11.8; 24.3.2

residual fuel oil 2.7.4.5

static accumulator oils 3.1.4; 11.8.2.3;

Table 11.2; Figure 11.3

static electricity hazards 11.8.2

synthetic fibre ropes 11.3.5.2; 11.8.2.2;

Table 11.2

- see also Measuring and sampling;

Sampling

### Unauthorised access

to tanker or terminal 6.4; 16.4.7; 24.10.1

### Upper Explosive Limit (UEL)

- definitions

hydrocarbon gas 1.2.2; Table 1.1; 7.1.1

## V

### Valves

butterfly 11.1.5; 16.8.1

drain 10.11.1

high velocity 7.2; 24.3.3

non-return 11.1.5; 16.8.1

operation of 10.11; 11.1.3; 11.1.4; 11.1.5;

11.1.6.7; 11.1.14.2; 16.9; 16.10; 16.11

pressure/vacuum (p/v) 7.1.11.3; 11.1.6.17;

24.3.3

### Vaporising liquids

fire-fighting 5.3.3.2

### Vapour

- definitions

### Vapour emission control system (VECS)

- definitions

at terminals 11.1.13

tanker/tanker transfer 7.1.6.4; 11.9.3

### Vapour lock system

- definitions

measuring and sampling 11.8.1; 11.8.3;

11.8.5

### Vapour manifold presentation flanges

misconnection 11.1.13.2

### Vapour pressure

bubble point 1.1.1

flammability 1.1; 1.2

gas density 1.3

information exchange 22.4.1

over/underpressure 11.1.13.3

Reid (RVP) 1.1.2

True (TVP) 1.1.1

### VECS

- see Vapour Emission Control System

### Vehicle movement and control

jetty 19.8; 20.2.6

### Vent outlets

cargo tanks 11.1.6.6; 11.4.3; 24.3.3 galley  
4.2.3

### Ventilation

accommodation 24.2

enclosed spaces 10.5

for access 7.1.6.12; 10.3; 10.5; 11.4

Hot Work 9.4.3.1; 9.4.4.2

pumproom 10.10.1; 10.11.5 pumproom

vent fans, maintenance

10.11.5

tanks 7.1.6.12; 11.3.5.2; 11.4

### Venting of gases

ballasting 2.5.2.3; 7.1.6.3

benzene 2.3.5.2

cargo tank vent outlets 24.3.3

evolution and dispersion 2.5

flammability 1.2; 2.1  
gas freeing 11.4  
loading 2.5.2.2; 7.1.6.2; 7.1.6.3;  
11.1.6.6; 22.5  
purging 2.5.2.4; 7.1.6.10; 24.6.5 sighting  
and ullage ports 24.3.2

Very high vapour pressure cargoes  
handling 11.1.8; 11.1.14.5  
loading of 11.1.8

Vessel traffic control centres  
communication with in an emergency  
20.2.7.1

Void spaces  
- definitions  
gas free certificates 9.8.9  
general precautions 10.1  
monitoring of 7.3.4

Volatile petroleum  
- definitions  
and accommodation 24.1  
and cargo tank vent outlets 24.3.3  
electrostatic hazards Figure 11.1  
flammability 2.1  
loading overall 11.1.12

Water  
dips, in cargo tanks 22.4.1.2  
fire-fighting 8.1.2  
fog definitions; 5.2.2; 5.3.1.1; 8.1.3.3  
jet 5.2.2; 5.3.1.1  
mist (electrostatic hazards) 3.3.4; 11.8.2.5  
seals, cold weather precautions 7.1.11.3  
slug 3.3.4  
spray definitions; 5.2.2; 5.3.1.1; 11.3.6.6  
wall (curtain) 8.1.3.4

Weights of hoses  
- see Hoses, weights

Welding  
Hot Work 9.4; 9.5; 9.8.13

Winches  
brake holding capacity 23.4.2.3  
self-stowing 23.4.2.3  
steam, cold weather precautions 23.4.2.1 -  
see also Moorings

Wind  
conditions 2.5.4.2; 2.5.5; 11.1.8; 23.2; 26.1  
forces on metal arms 18.1.7  
see also Climatic conditions

Windlasses  
cold weather precautions 23.4.2.1  
Work permit  
- see Permit to work system

## W

Walkie-talkies  
- see UHF/VHF

Wandering leads  
mechanical damage 4.3.1  
proper use of 4.3.2  
use in a hazardous area 4.3.2

Washing machines  
crude oil 7.1.6.9  
electrostatic hazards 3.2; 3.3; 11.3.5.2  
portable 3.2.2; 11.3.5.2; 11.3.6.1

## Z

Zinc  
anodes 4.7

Zone, hazardous  
- see Hazardous zone

