

BUNKERING SAFETY CHECK-LIST FOR BUNKER DELIVERY TO MARITIME SHIPS

(Chapter 25.4.3 ISGOTT)

Port: Date:

Ship: Barge:

Master: Master:

1. Bunkers to be Transferred

Grade	Tonnes	Volume at Loading Temp	Loading Temperature	Maximum Transfer Rate	Maximum Line Pressure
Fuel Oil					
Gas Oil/Diesel					
Lub. Oil in Bulk					

2. Bunker Tanks to be Loaded

Tank No	Grade	Volume of Tank @ ____ %	Vol. of Oil in Tank before Loading	Available volume	Volume to be Loaded	Total Volumes Grade

3. Checks by Barge Prior to Berthing

Bunkering	Ship	Barge	Code	Remarks
1. The barge has obtained the necessary permissions to go alongside receiving ship.				
2. The fenders have been checked, are in good order and there is no possibility of metal to metal contact.			R	
3. Adequate electrical insulating means are in place in the barge-to-ship connection. (34)				
4. All bunker hoses are in good condition and are appropriate for the service intended. (7)				

4. Checks Prior to Transfer (cont.)

Bunkering	Ship	Barge	Code	Remarks
5. The barge is securely moored. (2)				
6. There is a safe means of access between the ship and barge. (1)				
7. Effective communications have been established between Responsible Officers. (3)			A R	(VHF/UHF Ch ...). Primary System: Backup System: Emergency Stop Signal:
8. There is an effective watch on board the barge and on the ship receiving bunkers. (22)				
9. Fire hoses and fire-fighting equipment on board the barge and ship are ready for immediate use. (5)				
10. All scuppers are effectively plugged. Temporarily removed scupper plugs will be monitored at all times. Drip trays are in position on decks around connections and bunker tank vents. (10) (11)			R	
11. Initial line up has been checked and unused bunker connections are blanked and fully bolted. (13)				
12. The transfer hose is properly rigged and fully bolted and secured to manifolds on ship and barge. (7)				
13. Overboard valves connected to the cargo system, engine room bilges and bunker lines are closed and sealed. (16)				
14. All cargo and bunker tank hatch lids are closed. (15)				
15. Bunker tank contents will be monitored at regular intervals.			A R	at intervals not exceeding Minutes
16. There is a supply of oil spill clean-up material readily available for immediate use.				
17. The main radio transmitter aerials are earthed and radars are switched off. (42)				
18. Fixed VHF/UHF transceivers and AIS equipment are on the correct power mode or switched off. (40)				

Bunkering	Ship	Barge	Code	Remarks
19. Smoking rooms have been identified and smoking restrictions are being observed. (36)			A R	Nominated Smoking Rooms Tanker: Barge:
20. Naked light regulations are being observed. (37)			R	
21. All external doors and ports in the accommodation are closed. (17)			R	
22. Material Safety Data Sheets (MSDS) for the bunker transfer have been exchanged where requested. (26)			R	
23. The hazards associated with toxic substances in the bunkers being handled have been identified and understood. (27)			R	H ₂ S Content ... Benzene Content ...

DECLARATION

We have checked, where appropriate jointly, the items of the Check-List in accordance with the instructions and have satisfied ourselves that the entries we have made are correct to the best of our knowledge.

We have also made arrangements to carry out repetitive checks as necessary and agreed that those items coded 'R' in the Check-List should be re-checked at intervals not exceeding hours.

If, to our knowledge, the status of any item changes, we will immediately inform the other party.

For ship	For barge
Name:	Name:
Rank:	Position or Title:
Signature:	Signature:
Date:	Date:
Time:	Time:

Record of repetitive checks:

Date:								
Time:								
Initials for Ship:								
Initials for barge:								

